## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

1 - 5. (Cancelled)

and

6. (Currently amended) A method for producing a nonwoven fabric by bonding fibers to each other, comprising the steps of:

supplying raw material of said fibers to a first centrifugal separator; ejecting fibers from said first centrifugal separator by a centrifugal force;

supplying a hygroscopic agent onto said fibers ejected from said first centrifugal separator so that said hygroscopic agent adheres to at least part of said fibers, wherein the hygroscopic agent comprises particles of silicon dioxide a substance having calcium oxide and porous particles of silicon dioxide adhering to the periphery of said substance.

7. (Original) A method for producing a nonwoven fabric according to claim 6, wherein a second centrifugal separator is disposed on a lateral side of said first centrifugal separator and wherein a belt mechanism including a belt driven to circulate is disposed below said first and second centrifugal separators, said method further comprising the steps of:

forming, on said belt, a first layer of said fibers ejected from said first centrifugal separator, said hygroscopic agent adhering to at least part of said fibers; and ejecting fibers from said second centrifugal separator by a centrifugal force to form a second layer made only of the fibers on said first layer.

- 8. (Currently amended) A method for producing a nonwoven fabric by bonding fibers to each other, comprising the steps of:
  - (a) supplying raw material of fibers to a centrifugal separator;
- (b) ejecting fibers from said centrifugal separator by a centrifugal force and forming a fiber layer by bonding said ejected fibers to each other; and
- (c) adhering a hygroscopic agent to said fiber layer, wherein the hygroscopic agent comprises particles of silicon dioxide a substance having calcium oxide and porous particles of silicon dioxide adhering to the periphery of said substance.
- 9. (Original) A method for producing a nonwoven fabric according to claim 8, wherein said step (c) includes the steps of:

heating said fiber layer; and supplying said hygroscopic agent onto said heated fiber layer.

- 10. (Original) A method for producing a nonwoven fabric according to claim 8, further comprising a step of:
- (d) covering the entirety of said fiber layer to which said hygroscopic agent adheres with an air-permeable sheet.
- 11. (Original) A method for producing a nonwoven fabric according to claim 10, wherein said step (d) includes the steps of:

supplying said air-permeable sheet above and below said fiber layer to which said hygroscopic agent adheres; and

cutting said fiber layer to which said hygroscopic agent adheres to a desired number of pieces having a desired size and simultaneously therewith, covering each of said pieces with said air-permeable sheet.

12-17. (Cancelled)